34453 King Street Row Lewes, DE 19958 302-644-7676

92A Atlantic Avenue Ocean View, DE 19970 302-537-7676

PLAIN TREADMILL (FOR NON CARDIAC REHAB PATIENTS)

| MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY |
|--------|---------|-----------|---------------|--------|
| NAME | | | _APPOINTMENT: | |

THIS TEST TAKES APPROXIMATELY 1 TO 1 1/2 HOURS

FAILURE TO FOLLOW THESE INSTRUCTIONS MAY REQUIRE US TO RESCHEDULE YOUR TEST

- 1. NO CAFFEINE OR DECAF PRODUCTS 24 HOURS PRIOR TO PROCEDURE
- 2. You may drink water at any time.
- **3. NO SMOKING** 2 hours prior to your test.
- 4. MEDICATIONS:
 - A. Stop all erectile dysfunction medications 24 hours prior to test
 - B. Stop any medication on list attached 48 hours prior to test.
- **5.** Wear a 2-piece outfit (no dresses or one piece outfits, please.) Clothing should be loose and comfortable.
- 6. Please wear comfortable walking shoes.
- 7. FAILURE TO GIVE 24 HOURS NOTICE FOR CANCELLATIONS WILL RESULT IN A \$50 FEE BILLED TO YOU, FOR ADMINISTRATIVE & MEDICATION COSTS INCURRED.



DRUGS TO AVOID FOR EXERCISE STRESS TESTING (ARE NOT A REASON TO CANCEL TESTING)

CALCIUM CHANNEL BLOCKERS

ADALAT
AMLODIPINE
BEPRIDIL
CALAN/CALAN SR/CORERA HS
CARDENE

CARDURA

DILACOR (XR)/DILTIAX T/TIAZAC

DILTIAZEM/CARDIZEM CD

DYNACIRC

FELODIPINE

ISOPTIN (SR)

ISRADIPINE

NICARDIPINE

NIFEDIPINE/NEFEDIPINE SR

NIMODIPINE

NIMOTOP

NORVASC

PLENDIL

PROCARDIA

VASCOR

VERAPAMIL/VERAMAPIL SR

VERELAN/VERELAN PM

NITRATES

NITROGLYCERIN

*NITRO-DUR, NITRSOSTAT

*NITROLINGUAL PUMPSPRAY

IMDUR/MONOKET

* ISOSORBIDE MONONITRATE

ISOSORBIDE DINITRATE

*DILATRATE/ISORDIL/SORBITRATE

BETA BLOCKERS

ACEBUTOLOL/SECTROL ATENOLOL/TENORMIN BETAPACE/ SOTALOL BETAXOLOL/KERLONE BISOPROLOL/FUMARATE/ ZEBETA/ZIAC

BLOCADREN

BREVIBLOC

CARDIZEM

CARTEOLOL/CARTROL

COREG/CARVEDILOL

CROZIDE

ESMOLOL/BREVIBLOX

INDERIDE

KERLONF

LABETALOL/TRANDATE/NORMADYNC

LEVATOL

LOPRESSOR/METROPROLOL/TOPROLXL/

SUCCANETE/TARTRATE

NADOLOL/CORGARD/CORZIDE

NEBIROLOL/BYSTOLIZ

NORMODYNE

PENBUTOLOL/LEVATOL

SECTRAL

TENORETIC

TIMOLOL/BLOCADREN TIMOLIDE

TRANDATE

ZEBETA

VISKEN TABS/PINDOLOL

INDERAL

♥ Delaware Cardiac Imaging Centers ♥

| Silversid | le ♥ Glasgow ♥ D | | s ♥ Milford ♥ Beth | 1-1-1-1 any |
|------------------------------|--|--------------------------------|---------------------|---------------------------|
| Patient Name | | Age | Birthday | Date |
| Primary Care Physician | } | Orderin | g Cardiologist | Datc _ |
| EXERCISE | | | | |
| Baseline ECG: | | | | |
| Exercise Time minutes | seconds | | | |
| Exercise was terminated due | to | Exercise | Tolerance | |
| Resting HR | Maximum HR | | % MPHR | |
| Resting BP | Peak BP | mm/Hg | BP response | |
| During exercise () Norm | pression consistent w gment abnormalities (| ith ischemia occurred not inte | erpreted due to | |
| | | | | |
| This is () Positive () No | egative () Non-d | iagnostic stress | s test for ischemia | |
| esting ECHO | | | | |
| tress ECHO | | | | |
| hysician Interpreting ECG: _ | | | | |
| axed to: | | | | |

Commonly used Drinks and Foods Containing Caffeine

Coffee

Brewed drip coffee 60-180 mg/5 oz cup Brewed percolated coffee 40-179 mg/5 oz cup Instant coffee 30-190 mg/5 oz cup Decaffeinated brewed coffee 2-5mg/5 oz cup Decaffeinated instant coffee 1-5 mg/5 oz cup

Tea

Brewed commercial tea 20-90 mg/5 oz cup Brewed imported tea 25-110 mg/5 oz cup Instant tea 2-20 mg/5 oz cup Iced tea 67-76 mg/12 oz cup 2-20mg/5 oz cup Chocolate milk 25-110 mg/8 oz cup

Food

Cocoa

Milk chocolate 1-15 mg/1 oz Dark semisweet chocolate 5-35 mg/1 oz Bakers chocolate average 26 mg/1 oz Chocolate syrup average 4 mg/1 oz Chocolate cake 13.8 mg/92 g serving (1/16 of a 9in cake) Chocolate candy 7.7 mg/1 oz bar Candy, chocolate covered 2.8 mg/1 oz bar Chocolate ice cream 4.5 mg/ 2/3 cup Chocolate pudding, instant 5.5 mg/1/2 cup Nut fudge brownie 7.7 mg/1 1/4 oz

Soft drinks

Coca-cola 45.0 mg ;, Cola, decaf trace-0.18 mg Dr. Pepper 39.6 mg Dr. Pepper, sugar free 39.6 mg Jolt Cola 70.0 mg Mellow Yellow 54.0 mg Mountain Dew 54.0 mg Mr. Pibb 40.5 mg Pepsi Cola 38.4 mg Diet Pepsi 36.0 mg Tab 46.5 mg

Some OVER-THE-COUNTER Drugs that contain Caffeine

Anacin 32 mg Excedrin 65 mg No Doz 100 mg

Prescription Meds Containing Caffeine

Cafergot (all forms) 100 mg Darvon Compound 32.4 mg Fiorinal 40 mg Synalgos- DC 30 mg Wigraine (all forms) 100 mg

Prescription Meds containing THEOPHYLLINE*

Theo-24 Theoclear LA Theovent Long-Acting Bronkodyl Slo-bid Gyrocaps Sustaire Theospan-SR Uniphyl Theobid Jr. Duracap Theo-Dur Sprinkle Theophylline S.R. Elixophyllin SR Slo-Phylline Gyrocaps Constant-T Quibron-T/SR Theochron Theolair-SR Theobid Duracap Theo-Dur Aerolate Respbid

**See PDR for more complete list.